


BUILDING 2 - GROUND FLOOR

SCALE: 1/8" = 1'-0"

GENERAL NOTES:

- ALL SIZES LISTED ON DOOR SCHEDULE SHALL BE FIELD MEASURED BY THE CONTRACTOR. CONTRACTOR SHALL VERIFY ALL DIMENSIONS TO INSURE PROPER INSTALLATION INTO EXISTING DOOR FRAMES.
- ALL DOORS & EXISTING DOOR FRAMES SHALL RECEIVE NEW PAINT BOTH SIDE TO MATCH. SHERWIN WILLIAMS OIL BASE PAINT ONLY. INTERIOR COLOR SHALL BE SW7038 TONY TAUPE. EXTERIOR SHALL BE SW PRO INDUSTRIAL ACRYLIC B66-660 EG-SHEL SW 6341 RED CENT.
- PREPARE EXISTING DOOR FRAMES TO NEW RECEIVE PAINT. REMOVE RUST AREAS COMPLETELY PATCH DETERIORATED FRAMES WITH PUTTY AS NEEDED.
- GAPS BETWEEN NEW DOORS AND FRAMED OPENING SHALL NOT EXCEED 3/16" ALL AROUND.
- PREPARE SHOP DRAWINGS ON ALL DOORS AND FRAMES FOR REVIEW, SHOWING SECTION AND ELEVATION OF ALL DOOR TYPES AND AS MANUFACTURER RECOMMENDED.
- CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF FINISHED SURFACES (WALLS, FLOORING, ETC.) CONTRACTOR SHALL REPAIR ANY DAMAGE AT THEIR OWN COST.
- LOCK ON SUPPLY ROOM DOOR SHALL BE STANLEY SECURITY SOLUTIONS (BEST DOOR HANDLE) MODEL 9KZ3-7-DV-15-KP-S3-626.
- DOORS SHALL BE 18 GAGE PRE-PRIMED GALVANIZED POLYSTYRENE.



DOOR SCHEDULE							
ID	NOMINAL DOOR SIZE	TYPE	MATERIAL	FINISH	FRAME	HDW.	NOTES:
A		EXT. GRADE	METAL	PAINT	EXIST.		PATCH & PAINT DOOR AND FRAME BOTH SIDES
B	1-3/4"x3'-0"x7'-0"	EXT. GRADE	METAL	PAINT	NEW	1	
C		EXT. GRADE	METAL	PAINT	EXIST.	2	PATCH & PAINT DOOR AND FRAME BOTH SIDES
D		EXT. GRADE	METAL	PAINT	EXIST.	2	PATCH & PAINT DOOR AND FRAME BOTH SIDES
E		EXT. GRADE	METAL	PAINT	NEW		REPLACE FRAME AND LINTEL

DOOR HARDWARE

SET NO. 1

- 3 1-3/4" HINGES
- 1 SECURITY HANDLE LOCK SET
- 1 SET ASTRAGAL SEALS
- 1 THRESHOLD
- 1 WEATHERPROOFING
- 2 36" ARMOR PLATES
- 1 TAMPER PROOF STRIKE PLATE COVER
- 1 SECURITIY PUSH BUTTON COMBO LOCK

SET NO. 2

- 1 DOOR SWEEP
- 1 GASKET SEAL
- 1 WEATHERPROOFING
- 2 36" ARMOR PLATES



UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
VA MEDICAL CENTER - 1540 SPRING VALLEY DRIVE - HUNTINGTON WV 25704

DRAWING TITLE:		PROJECT TITLE:		DRAWING TITLE:	
PROPOSED PLAN		IMPROVE FACILITY		SAFETY & SECURITY	
REPLACE/REFURBISH DOORS					
APPROVED:		BUILDING:	PROJECT NUMBER:	DRAWING NUMBER:	
CHRIS ECKLES		2	14-111	A-2	
ASS'T CHIEF, ENGINEERING					
APPROVED:		DRAWN:	DATE:		
JOHN KLIM		ZACH WASSER	02-27-14		
CHIEF, ENGINEERING				DWG. 8 OF 10	